

ALPHATECH SERVICES, LLC.
STOCK TAGS &
LABELS



Phone: (973)283-2011 • Fax: (973)283-4546 • info@alphatechsvc.com

Conditions & Guidelines

- We accept Visa, MasterCard and American Express. A 2.5% credit card fee is applied to an invoices over \$5,000.
- \$50 minimum order. Items can be combined to meet the \$50 minimum order requirements.
- Returns: \$30 restocking fee or 10%, whichever is greater. No returns after 90 days from invoice date. No returns without authorization from factory. Prices subject to change without notice.
- RFID is subject to a 40% restocking fee.
- Returned merchandise must be in saleable condition.
- Last column pricing is achieved by meeting the dollar amount for each individual item. Items cannot be combined to achieve last column pricing.
- Stock laser sheet labels - packages of 100 cannot be broken.
- \$15 Handling fee for less than case quantities.
- \$7.50 Handling fee per ship to address for more than 3 locations.
- All stock labels are available perfed or non-perfed upon request at the same price listed in our catalog, but are nonreturnable. Some stock items may be discontinued. Contact your customer service representative for lead times. Note: Lead time could be up to two weeks for non-stock items.
- **Rework of Stock Labels to different size core and/or quantity per roll:**
 - 1) Limited to one case, per quarter, per size
 - 2) No more than 100 finished rolls
 - 3) Lead time could be up to 10 working days
 - 4) Reworks of rolls to fanfold could result in leaning stacks
 - 5) Cost: a flat \$75 fee plus the cost of labels
 - RFID: a flat \$100 fee plus the cost of labels
 - Broken case fee still applies
 - Reworks must divide equally from original roll or stack. If alternative quantity is requested, the entire roll or stack quantity will be billed
 - 6) Reworked product cannot be returned
- **Cancellation Fee:** Due to the customized process of each order, AlphaTech is subject to charge a minimum of \$50, depending on the stage of order.

10 Day Lead Time

Some items in this catalog are marked with a ten day lead time. These blue shaded items are rarely ordered, but instead of removing them from our catalog, we will produce the items when an order is placed. It might take a few days, but you'll still receive our great stock pricing!

Placing Orders

- To minimize errors, please fax or email your order. Verbal orders are not accepted.
- All order changes, including shipping instructions, must be confirmed in writing.
- Custom orders are subject to a +/- 10% variance.
- Stock orders, requesting to ship same day, must be faxed or emailed no later than 12:00 PM EST.
- Submission of orders infers that product has been tested and accepted in actual end-user environment.

Definitions

Visible Light - Most common technology, used with standard direct thermal chemistry.

Near IR - Dyes added to absorb light at 670 - 700 nm. Designed to filter out minor amounts of contaminants. Used in the Parcel Tracking Industry.

Non-Topcoated Direct Thermal – This material is an uncoated medium sensitivity product with excellent image quality with a permanent acrylic adhesive. Because this material is uncoated, it should be tested by the end user before ordering large quantities. This product should not be used in applications that require extreme environmental resistance.

Topcoated Direct Thermal – This material is a topcoated, medium sensitivity product with an acrylic permanent adhesive. This material has excellent image quality and it provides excellent results in most environmental conditions. We recommend that any direct thermal material be tested in an end-user application before ordering large quantities.

How to Read AlphaTech Part Numbers

TT - 4 - 6 - 990 - 3
Thermal Transfer 4" Wide 6" Long 990 Per Roll 3" Core

DT - 2 - 1 - 5500 - NP
Direct Thermal 2" Wide 1" Long 5500 Per Roll No Perf

LS - 25 - 1 - 30 - RC
Laser Sheets 2.5" Wide 1" Long 30 Per Sheet Rounded Corners

How Sheeted Labels Are Packaged

- **Laser Sheets:**
100 sheets are in a pack
10 packs are in a case
Total = 1,000 sheets per case
- **Integrated Labels:**
250 sheets per chipboard lift
6 lifts are in 1 poly bag per case
Total=1,500 sheets per case
- **Integrated Cards:**
200 sheets per inner box
5 inner boxes per case
Total=1,000 sheets per case

Table of Contents

Thermal Transfer Labels	2-5
Thermal Transfer Fanfold Stacks.....	5
Thermal Transfer Tags.....	5
Thermal Transfer Specialty Materials.....	6
Thermal Transfer Labels with Ultra Thin Liners.....	6
Floodcoated Thermal Transfer Labels.....	7-8
Fluorescent Floodcoated Thermal Transfer Labels.....	9
Horizontal Color Bar Thermal Transfer Labels.....	9
Thermal Transfer Circles.....	10
RFID Enabled Thermal Transfer Labels	11
Direct Thermal Labels	12-15
Direct Thermal Labels with Ultra Thin Liner	15
Direct Thermal Shipping System Labels	16
Direct Thermal Fanfold Labels & Tags.....	16
Dymo Compatible Direct Thermal Labels.....	17
Floodcoated Direct Thermal Labels	18-19
Liner-free Repositionable Direct Thermal Rolls	20
Laser Sheets.....	21-23
Integrated Label Sheets.....	24-27
Inventory Control Labels	28-29
Handling Labels	30
Made in the U.S.A. Labels	31
Custom Quick Turn Digital Labels.....	32
AlphaTech's Portfolio of Label Products	33-34
Label Accessories	35-37

Thermal Transfer Labels

AlphaTech Part #	Width	Length	Nbr Up	Core Size	Labels / Roll	Approx Wt / Case	Rolls / Case	Stocking Locations
------------------	-------	--------	--------	-----------	---------------	------------------	--------------	--------------------

12" O. D. Topcoated Thermal Transfer, Permanent Adhesive, No Perf, Wound Out, 3" Core

TT-4-2-7595-NP	4	2	1	3	7595	45	3	OH, AZ
TT-4-3-5164-NP	4	3	1	3	5164	43	3	OH
TT-4-6-2800-NP	4	6	1	3	2800	51	3	OH, AZ

8" O.D. Topcoated Thermal Transfer, Permanent Adhesive, Perfed Each, Wound Out, 3" Core

TT-1-05-19200-3	1	0.5	2	3	19,200	21	8	OH
TT-1-075-7500-3	1	0.75	1	3	7500	12	8	OH
TT-1-1-5500-3	1	1	1	3	5500	12	8	OH, AZ
TT-1-2-2900-3	1	2	1	3	2900	12	8	OH
TT-1-3-1900-3	1	3	1	3	1900	12	8	OH
TT-1-4-1500-3	1	4	1	3	1500	12	8	OH
TT-125-05-9600-3	1.25	0.5	1	3	9600	14	8	OH, AZ
TT-15-05-9600-3	1.5	0.5	1	3	9600	16	8	OH
TT-15-075-15000-3	1.5	0.75	2	3	15,000	18	4	OH, AZ
TT-15-075-7500-3	1.5	0.75	1	3	7500	18	8	OH, AZ
TT-15-1-5500-3	1.5	1	1	3	5500	18	8	OH, AZ
TT-15-1-10000-3	1.5	1	2	3	10,000	16	4	OH, AZ
TT-15-125-4450-3	1.5	1.25	1	3	4450	19	8	OH
TT-15-15-3600-3	1.5	1.5	1	3	3600	17	8	OH, AZ
TT-15-15-7200-3	1.5	1.5	2	3	7200	16	4	OH, AZ
TT-15-2-2900-3	1.5	2	1	3	2900	18	8	OH, AZ
TT-175-25-2500-3	1.75	2.5	1	3	2500	22	8	OH
TT-2-05-9600-3	2	0.5	1	3	9600	20	8	OH
TT-2-075-7500-3	2	0.75	1	3	7500	23	8	OH
TT-2-1-5500-3	2	1	1	3	5500	23	8	OH, AZ
TT-2-1-11000-3	2	1	2	3	11,000	23	4	OH, AZ
TT-2-125-4450-3	2	1.25	1	3	4450	22	8	OH
TT-2-15-3600-3	2	1.5	1	3	3600	22	8	OH, AZ
TT-2-15-7200-3	2	15	2	3	7200	20	4	OH, AZ
TT-2-2-2900-3	2	2	1	3	2900	24	8	OH, AZ
TT-2-2-2900-NP	2	2	1	3	2900	24	8	OH, AZ
TT-2-3-1900-3	2	3	1	3	1900	23	8	OH
TT-2-4-1500-3	2	4	1	3	1500	24	8	OH
TT-2-5-1200-3	2	5	1	3	1200	23	8	OH
TT-225-075-7500-3	2.25	0.75	1	3	7500	26	8	OH
TT-225-125-4450-3	2.25	1.25	1	3	4450	25	8	OH, AZ
TT-225-2-2900-3	2.25	2	1	3	2900	26	8	OH
TT-25-1-5500-3	2.5	1	1	3	5500	29	8	OH, AZ
TT-25-15-3600-3	2.5	1.5	1	3	3600	26	8	OH, AZ
TT-25-2-2900-3	2.5	2	1	3	2900	29	8	OH
TT-25-25-2500-3	2.5	2.5	1	3	2500	30	8	OH
TT-275-07-5340-3	2.75	0.7	1	3	5340	26	8	OH
TT-275-125-4450-3	2.75	1.25	1	3	4450	29	8	OH
TT-3-075-7500-3	3	0.75	1	3	7500	34	8	OH

AlphaTech Part #	Width	Length	Nbr Up	Core Size	Labels / Roll	Approx Wt / Case	Rolls / Case	Stocking Locations
------------------	-------	--------	--------	-----------	---------------	------------------	--------------	--------------------

8" O.D. Topcoated Thermal Transfer, Permanent Adhesive, Perfed Each, Wound Out, 3" Core (continued)

TT-3-1-5500-3	3	1	1	3	5500	33	8	OH, AZ
TT-3-15-3600-3	3	1.5	1	3	3600	32	8	OH, AZ
TT-3-2-3000-3	3	2	1	3	3000	34	8	OH, AZ
TT-3-3-2000-3	3	3	1	3	2000	35	8	OH, AZ
TT-3-35-1700-3	3	3.5	1	3	1700	34	8	OH
TT-3-4-1500-3	3	4	1	3	1500	36	8	OH
TT-3-5-1200-3	3	5	1	3	1200	35	8	OH, AZ
TT-3-6-1000-3	3	6	1	3	1000	34	8	OH
TT-3125-5-1180-3	3.125	5	1	3	1180	36	8	OH
TT-325-2-2900-3	3.25	2	1	3	2900	N/A	8	OH
TT-35-1-5500-3	3.5	1	1	3	5500	20	4	OH, AZ
TT-35-15-3600-3	3.5	1.5	1	3	3600	19	4	OH, AZ
TT-35-2-3000-3	3.5	2	1	3	3000	20	4	OH, AZ
TT-35-25-2500-3	3.5	2.5	1	3	2500	21	4	OH
TT-35-5-1200-3	3.5	5	1	3	1200	21	4	OH
TT-35-8-750-3	3.5	8	1	3	750	20	4	OH
TT-4-1-5500-3	4	1	1	3	5500	23	4	OH, AZ
TT-4-15-3600-3	4	1.5	1	3	3600	21	4	OH, AZ
TT-4-2-2900-3	4	2	1	3	2900	23	4	OH, AZ
TT-4-2-2900-NP	4	2	1	3	2900	23	4	OH, AZ
TT-4-225-2575-3	4	2.25	1	3	2575	22	4	OH
TT-4-25-2500-3	4	2.5	1	3	2500	26	4	OH, AZ
TT-4-3-1900-3	4	3	1	3	1900	22	4	OH, AZ
TT-4-3-1900-NP	4	3	1	3	1900	22	4	OH, AZ
TT-4-4-1500-3	4	4	1	3	1500	23	4	OH, AZ
TT-4-5-1200-3	4	5	1	3	1200	22	4	OH
TT-4-6-1000-3	4	6	1	3	1000	24	4	OH, AZ
TT-4-6-1000-NP	4	6	1	3	1000	24	4	OH, AZ
TT-4-65-900-3	4	6.5	1	3	900	23	4	OH, AZ
TT-4-8-750-3	4	8	1	3	750	24	4	WI
TT-4-10-600-3	4	10	1	3	600	22	4	OH
TT-4-12-500-3	4	12	1	3	500	23	4	OH
TT-4-13-450-3	4	13	1	3	450	24	4	OH
TT-45-25-2500-3	4.5	2.5	1	3	2500	30	4	OH
TT-45-3-1900-3	4.5	3	1	3	1900	24	4	OH
TT-45-45-1400-3	4.5	4.5	1	3	1400	27	4	OH
TT-45-5-1200-3	4.5	5	1	3	1200	26	4	OH
TT-45-6-995-3	4.5	6	1	3	995	26	4	OH
TT-5-25-2500-3	5	2.5	1	3	2500	30	4	OH
TT-5-3-1900-3	5	3	1	3	1900	28	4	OH, AZ
TT-5-4-1500-3	5	4	1	3	1500	30	4	OH
TT-5-8-750-3	5	8	1	3	750	28	4	OH
TT-6-4-1500-3	6	4	1	3	1500	35	4	OH, AZ
TT-6-6-1000-3	6	6	1	3	1000	38	4	OH
TT-6-8-750-3	6	8	1	3	750	34	4	OH
TT-65-4-1500-3	6.5	4	1	3	1500	36	4	OH
TT-85-6-1000-3	8.5	6	1	3	1000	50	4	OH

AlphaTech Part #	Width	Length	Nbr Up	Core Size	Labels / Roll	Approx Wt / Case	Rolls / Case	Stocking Locations
------------------	-------	--------	--------	-----------	---------------	------------------	--------------	--------------------

8" O.D. Topcoated Thermal Transfer Continuous Roll, Permanent Adhesive, No Perf, Wound Out, 3" Core

TT-4-500-1-3*	4	500'	1	3	1	23	4	OH
---------------	---	------	---	---	---	----	---	----

* This item's price is per roll. Continuous roll that is 4 inches wide and 500 feet long with 1/16 inch carrier on each side for easy removal.

8" O.D. Topcoated Thermal Transfer, Permanent Adhesive, Perfed Each, Wound In, 3" Core

TT-4-6-1000-IN	4	6	1	3	1000	24	4	OH
----------------	---	---	---	---	------	----	---	----

8" O.D. Removable Adhesive, Topcoated Thermal Transfer, Perfed Each, Wound Out, 3" Core

RE-15-1-5500-3	1.5	1	1	3	5500	18	8	OH
RE-2-1-5500-3	2	1	1	3	5500	33	8	OH
RE-3-1-5500-3	3	1	1	3	5500	33	8	OH
RE-3-5-1200-3	3	5	1	3	1200	35	8	OH
RE-35-15-3600-3	3.5	1.5	1	3	3600	19	4	OH
RE-4-1-5500-3	4	1	1	3	5500	23	4	OH
RE-4-2-2900-3	4	2	1	3	2900	23	4	OH
RE-4-3-1900-3	4	3	1	3	1900	22	4	OH
RE-4-4-1500-3	4	4	1	3	1500	23	4	OH
RE-4-6-1000-3	4	6	1	3	1000	24	4	OH, AZ

6" O.D. Topcoated Thermal Transfer, Permanent Adhesive, Perfed Each, Wound Out, 3" Core

TT-3-2-1475-3	3	2	1	3	1475	20	8	OH
TT-4-3-975-3	4	3	1	3	975	26	8	OH
TT-4-4-750-3	4	4	1	3	750	24	8	OH
TT-4-6-525-3	4	6	1	3	525	26	8	OH

5" O.D. Topcoated Thermal Transfer, Permanent Adhesive, Perfed Each, Wound Out, 1" Core

TT-2-1-2500-1	2	1	1	1	2500	16	12	OH
TT-225-125-2100-1	2.25	1.25	1	1	2100	19	12	OH
TT-25-1-2500-1	2.5	1	1	1	2500	30	12	OH
TT-3-1-2500-1	3	1	1	1	2500	23	12	OH
TT-3-3-890-1	3	3	1	1	890	24	12	OH
TT-35-1-2500-1	3.5	1	1	1	2500	27	12	OH
TT-4-1-2500-1	4	1	1	1	2500	30	12	OH
TT-4-15-1800-1	4	1.5	1	1	1800	30	12	OH
TT-4-2-1320-1	4	2	1	1	1320	32	12	OH
TT-4-3-890-1	4	3	1	1	890	31	12	OH
TT-4-4-700-1	4	4	1	1	700	33	12	OH
TT-4-6-460-1	4	6	1	1	460	33	12	OH
TT-4-65-380-1	4	6.5	1	1	380	29	12	OH

4" O.D. Topcoated Thermal Transfer, Permanent Adhesive, Perfed Each, Wound Out, 1" Core

TT-15-1-1375-1	1.5	1	1	1	1375	7	12	OH
TT-2-1-1375-1	2	1	1	1	1375	9	12	OH
TT-225-125-1135-1	2.25	1.25	1	1	1135	10	12	OH
TT-225-2-735-1	2.25	2	1	1	735	10	12	OH
TT-25-1-1375-1	2.5	1	1	1	1375	12	12	OH
TT-3-1-1375-1	3	1	1	1	1375	14	12	AZ, WI
TT-3-2-735-1	3	2	1	1	735	13	12	OH

AlphaTech Part #	Width	Length	Nbr Up	Core Size	Labels / Roll	Approx Wt / Case	Rolls / Case	Stocking Locations
------------------	-------	--------	--------	-----------	---------------	------------------	--------------	--------------------

4" O.D. Topcoated Thermal Transfer, Permanent Adhesive, Perfed Each, Wound Out, 1" Core (continued)

TT-3-3-500-1	3	3	1	1	500	13	12	OH
TT-3-5-300-1	3	5	1	1	300	13	12	OH
TT-35-1-1375-1	3.5	1	1	1	1375	16	12	OH
TT-4-1-1375-1	4	1	1	1	1375	17	12	OH
TT-4-15-960-1	4	1.5	1	1	960	17	12	OH, AZ
TT-4-2-735-1	4	2	1	1	735	18	12	OH
TT-4-3-500-1	4	3	1	1	500	18	12	AZ, WI
TT-4-4-380-1	4	4	1	1	380	18	12	OH
TT-4-6-250-1	4	6	1	1	250	17	12	AZ, WI
TT-4-65-230-1	4	6.5	1	1	230	17	12	OH

4" O.D. Removable Adhesive, Topcoated Thermal Transfer, Perfed Each, Wound Out, 1" Core

RE-2-1-1375-1	2	1	1	1	1375	10	12	OH
RE-225-125-1135-1	2.25	1.25	1	1	1135	11	12	OH
RE-3-1-1375-1	3	1	1	1	1375	14	12	OH
RE-4-1-1375-1	4	1	1	1	1375	19	12	OH
RE-4-15-960-1	4	1.5	1	1	960	19	12	OH
RE-4-2-735-1	4	2	1	1	735	19	12	OH
RE-4-6-250-1	4	6	1	1	250	20	12	OH

Thermal Transfer Fanfold Stacks

AlphaTech Part #	Width	Length	Labels / Fold	FF= Fanfold	Labels / Stack	Approx Wt / Case	Labels / Case	Stocking Locations
------------------	-------	--------	---------------	-------------	----------------	------------------	---------------	--------------------

Fanfold Stacks, Topcoated Thermal Transfer, Permanent Adhesive, Perfed Each

TT-3-2-7500-FF	3	2	5	FF	7500	22	15,000	OH
TT-3-5-1250-FF	3	5	2	FF	1250	10	2500	OH
TT-4-1-10500-FF	4	1	10	FF	10,500	22	21,000	OH
TT-4-15-3600-FF	4	1.5	7	FF	3600	N/A	7200	OH
TT-4-2-2500-FF	4	2	5	FF	2500	10	5000	OH
TT-4-3-2500-FF	4	3	4	FF	2500	14	5000	OH
TT-4-4-2500-FF	4	4	3	FF	2500	18	5000	OH
TT-4-6-2000-FF	4	6	2	FF	2000	22	4000	OH, AZ
TT-4-65-2000-FF	4	6.5	2	FF	2000	24	4000	OH
TT-4-8-1000-FF	4	8	1	FF	1000	20	2000	OH
TT-6-4-1500-FF	6	4	3	FF	1500	18	3000	OH

Thermal Transfer Tags

AlphaTech Part #	Width	Length	Tags / Fold	FF= Fanfold	Tags / Stack	Approx Wt / Case	Tags / Case	Stocking Locations
------------------	-------	--------	-------------	-------------	--------------	------------------	-------------	--------------------

7 pt. Thermal Transfer C1S Tag Stock (Notches at Perf for Sensing), Fanfold

RTAG-3-15-4000-FF *	3	1.5	7	FF	4000	10	8000	OH
RTAG-4-3-2000-FF	4	3	4	FF	2000	14	4000	OH
RTAG-4-6-1000-FF	4	6	2	FF	1000	24	4000	OH
RTAG-4-65-1000-FF	4	6.5	2	FF	1000	28	4000	OH

* Tags with Horseshoe Hang Hole. See illustration on page 9.

10 day lead time

10 day lead time

Thermal Transfer Specialty Materials

AlphaTech Part #	Width	Length	Nbr Up	Core Size	Labels / Roll	Approx Wt / Case	Rolls / Case	Stocking Locations
------------------	-------	--------	--------	-----------	---------------	------------------	--------------	--------------------

8" O.D. Hammerlock Adhesive (very aggressive), Topcoated Thermal Transfer, Perfed Each, Wound Out, 3" Core

RH-4-2-2900-3	4	2	1	3	2900	25	4	OH
RH-4-6-1000-3	4	6	1	3	1000	26	4	OH

8" O.D. Smudge Proof Kimdura, Permanent Adhesive, Perfed Each, Wound Out, 3" Core

RK-2-1-5150-3	2	1	1	3	5150	22	8	OH
RK-4-2-2730-3	4	2	1	3	2730	22	4	OH
RK-4-6-950-3	4	6	1	3	950	28	4	OH

10 day lead time

8" O.D. Matte Polypropylene Film (Synthetic), Permanent Adhesive, Perfed Each, Wound Out, 3" Core

RSP-2-1-5150-3	2	1	1	3	5150	22	8	OH
RSP-3-2-2750-3	3	2	1	3	2750	30	8	OH
RSP-4-2-2730-3	4	2	1	3	2730	22	4	OH
RSP-4-3-2000-3	4	3	1	3	2000	22	4	OH
RSP-4-4-1500-3	4	4	1	3	1500	22	4	OH
RSP-4-6-950-3	4	6	1	3	950	28	4	OH
RSP-4-65-950-3	4	6.5	1	3	950	22	4	OH

10 day lead time

10 day lead time

8" O.D. 2 Mil. White Gloss Polyester, Permanent Adhesive, Perfed Each, Wound Out, 3" Core

RP-15-075-7500-3	1.5	0.75	1	3	7500	20	8	OH
RP-15-075-15000-3	1.500	0.75	2	3	15,000	20	4	OH
RP-175-05-10000-3	1.75	0.5	1	3	10,000	22	8	OH
RP-175-05-10000-NP	1.75	0.5	1	3	10,000	22	8	OH
RP-2-1-5000-3	2	1	1	3	5000	22	8	OH
RP-2-1-5000-NP	2	1	1	3	5000	22	8	OH
RP-3-1-5000-3	3	1	1	3	5000	34	8	OH
RP-3-2-3000-3	3	2	1	3	3000	22	4	OH
RP-4-1-5000-3	4	1	1	3	5000	26	4	OH
RP-4-2-3000-3	4	2	1	3	3000	28	4	OH
RP-4-6-1050-3	4	6	1	3	1050	28	4	OH

10 day lead time

10 day lead time

Thermal Transfer Labels with Ultra Thin Liner

AlphaTech Part #	Width	Length	Nbr Up	Core Size	Labels / Roll	Approx Wt / Case	Rolls / Case	Stocking Locations
------------------	-------	--------	--------	-----------	---------------	------------------	--------------	--------------------

12" O. D. Ultra Thin Liner, Topcoated Thermal Transfer, No Perf, Wound Out, 3" Core

RTL-4-6-3200-NP	4	6	1	3	3200	45	3	OH
-----------------	---	---	---	---	------	----	---	----

8" O. D. Ultra Thin Liner, Topcoated Thermal Transfer, Perfed Each, Wound Out, 3" Core 3" Core

RTL-4-6-1300-3	4	6	1	3	1300	26	4	OH
----------------	---	---	---	---	------	----	---	----

5" O. D. Ultra Thin Liner, Topcoated Thermal Transfer, Perfed Each, Wound Out, 1" Core

RTL-4-2-1700-1	4	2	1	1	1700	34	12	OH
RTL-4-3-1100-1	4	3	1	1	1100	32	12	OH
RTL-4-6-575-1	4	6	1	1	575	33	12	OH

Yellow shaded items have a ten day lead time.

Floodcoated Thermal Transfer Labels

AlphaTech Part #	Color	Width	Length	Nbr Up	Core Size	Labels / Roll	Approx Wt / Case	Rolls / Case	Stocking Locations
------------------	-------	-------	--------	--------	-----------	---------------	------------------	--------------	--------------------

8" O.D. Floodcoated Thermal Transfer, Permanent Adhesive, Perfed Each, Wound Out, 3" Core

RFC-2-1-5500-YL	Yellow	2	1	1	3	5500	23	8	OH
RFC-2-1-5500-PK	Pink	2	1	1	3	5500	23	8	OH
RFC-2-1-5500-RD	Red	2	1	1	3	5500	23	8	OH
RFC-2-1-5500-BL	Blue	2	1	1	3	5500	23	8	OH
RFC-2-1-5500-GR	Green	2	1	1	3	5500	23	8	OH
RFC-2-1-5500-OR	Orange	2	1	1	3	5500	23	8	OH
RFC-2-3-1900-YL	Yellow	2	3	1	3	1900	23	8	OH
RFC-2-3-1900-PK	Pink	2	3	1	3	1900	23	8	OH
RFC-2-3-1900-RD	Red	2	3	1	3	1900	23	8	OH
RFC-2-3-1900-BL	Blue	2	3	1	3	1900	23	8	OH
RFC-2-3-1900-GR	Green	2	3	1	3	1900	23	8	OH
RFC-2-3-1900-OR	Orange	2	3	1	3	1900	23	8	OH
RFC-3-1-5500-YL	Yellow	3	1	1	3	5500	33	8	OH
RFC-3-1-5500-PK	Pink	3	1	1	3	5500	33	8	OH
RFC-3-1-5500-RD	Red	3	1	1	3	5500	33	8	OH
RFC-3-1-5500-BL	Blue	3	1	1	3	5500	33	8	OH
RFC-3-1-5500-GR	Green	3	1	1	3	5500	33	8	OH
RFC-3-1-5500-OR	Orange	3	1	1	3	5500	33	8	OH
RFC-3-2-2900-YL	Yellow	3	2	1	3	2900	33	8	OH
RFC-3-2-2900-PK	Pink	3	2	1	3	2900	33	8	OH
RFC-3-2-2900-RD	Red	3	2	1	3	2900	33	8	OH
RFC-3-2-2900-BL	Blue	3	2	1	3	2900	33	8	OH
RFC-3-2-2900-GR	Green	3	2	1	3	2900	33	8	OH
RFC-3-2-2900-OR	Orange	3	2	1	3	2900	33	8	OH
RFC-4-1-5500-YL	Yellow	4	1	1	3	5500	23	4	OH
RFC-4-1-5500-PK	Pink	4	1	1	3	5500	23	4	OH
RFC-4-1-5500-RD	Red	4	1	1	3	5500	23	4	OH
RFC-4-1-5500-BL	Blue	4	1	1	3	5500	23	4	OH
RFC-4-1-5500-GR	Green	4	1	1	3	5500	23	4	OH
RFC-4-1-5500-OR	Orange	4	1	1	3	5500	23	4	OH
RFC-4-2-2900-YL	Yellow	4	2	1	3	2900	23	4	OH
RFC-4-2-2900-PK	Pink	4	2	1	3	2900	23	4	OH
RFC-4-2-2900-RD	Red	4	2	1	3	2900	23	4	OH
RFC-4-2-2900-BL	Blue	4	2	1	3	2900	23	4	OH
RFC-4-2-2900-GR	Green	4	2	1	3	2900	23	4	OH
RFC-4-2-2900-OR	Orange	4	2	1	3	2900	23	4	OH
RFC-4-3-1900-YL	Yellow	4	3	1	3	1900	24	4	OH
RFC-4-3-1900-PK	Pink	4	3	1	3	1900	24	4	OH
RFC-4-3-1900-RD	Red	4	3	1	3	1900	24	4	OH
RFC-4-3-1900-BL	Blue	4	3	1	3	1900	24	4	OH
RFC-4-3-1900-GR	Green	4	3	1	3	1900	24	4	OH
RFC-4-3-1900-OR	Orange	4	3	1	3	1900	24	4	OH
RFC-4-4-1500-YL	Yellow	4	4	1	3	1500	23	4	OH
RFC-4-4-1500-PK	Pink	4	4	1	3	1500	23	4	OH

10 day lead time

10 day lead time

10 day lead time

Yellow shaded items have a ten day lead time.

AlphaTech Part #	Color	Width	Length	Nbr Up	Core Size	Labels / Roll	Approx Wt / Case	Rolls / Case	Stocking Locations
------------------	-------	-------	--------	--------	-----------	---------------	------------------	--------------	--------------------

8" O.D. Floodcoated Thermal Transfer, Permanent Adhesive, Perfed Each, Wound Out, 3" Core (continued)

10 day lead time	RFC-4-4-1500-RD	Red	4	4	1	3	1500	23	4	OH
	RFC-4-4-1500-BL	Blue	4	4	1	3	1500	23	4	OH
	RFC-4-4-1500-GR	Green	4	4	1	3	1500	23	4	OH
	RFC-4-4-1500-OR	Orange	4	4	1	3	1500	23	4	OH
	RFC-4-6-1000-YL	Yellow	4	6	1	3	1000	24	4	OH
10 day lead time	RFC-4-6-1000-PK	Pink	4	6	1	3	1000	24	4	OH
	RFC-4-6-1000-RD	Red	4	6	1	3	1000	24	4	OH
	RFC-4-6-1000-BL	Blue	4	6	1	3	1000	24	4	OH
	RFC-4-6-1000-GR	Green	4	6	1	3	1000	24	4	OH
	RFC-4-6-1000-OR	Orange	4	6	1	3	1000	24	4	OH
10 day lead time	RFC-4-65-900-YL	Yellow	4	6.5	1	3	900	23	4	OH
	RFC-4-65-900-PK	Pink	4	6.5	1	3	900	23	4	OH
	RFC-4-65-900-RD	Red	4	6.5	1	3	900	23	4	OH
	RFC-4-65-900-BL	Blue	4	6.5	1	3	900	23	4	OH
	RFC-4-65-900-GR	Green	4	6.5	1	3	900	23	4	OH
10 day lead time	RFC-4-65-900-OR	Orange	4	6.5	1	3	900	23	4	OH
	RFC-4-8-750-YL	Yellow	4	8	1	3	750	24	4	OH
	RFC-4-8-750-PK	Pink	4	8	1	3	750	24	4	OH
	RFC-4-8-750-RD	Red	4	8	1	3	750	24	4	OH
	RFC-4-8-750-BL	Blue	4	8	1	3	750	24	4	OH
10 day lead time	RFC-4-8-750-GR	Green	4	8	1	3	750	24	4	OH
	RFC-4-8-750-OR	Orange	4	8	1	3	750	24	4	OH
	RFC-6-4-1500-YL	Yellow	6	4	1	3	1500	35	4	OH
	RFC-6-4-1500-PK	Pink	6	4	1	3	1500	35	4	OH
	RFC-6-4-1500-RD	Red	6	4	1	3	1500	35	4	OH
10 day lead time	RFC-6-4-1500-BL	Blue	6	4	1	3	1500	35	4	OH
	RFC-6-4-1500-GR	Green	6	4	1	3	1500	35	4	OH
	RFC-6-4-1500-OR	Orange	6	4	1	3	1500	35	4	OH

PMS Colors: Pantone Yellow, 176 Pink, 032 Red, 290 Blue, 345 Green, 1495 Orange

4" O.D. Floodcoated Thermal Transfer, Permanent Adhesive, Perfed Each, Wound Out, 1" Core

10 day lead time	RFC-2-3-500-YL	Yellow	2	3	1	1	500	9	12	OH
	RFC-2-3-500-RD	Red	2	3	1	1	500	9	12	OH
	RFC-2-3-500-BL	Blue	2	3	1	1	500	9	12	OH
	RFC-2-3-500-GR	Green	2	3	1	1	500	9	12	OH
	RFC-2-3-500-OR	Orange	2	3	1	1	500	9	12	OH
10 day lead time	RFC-3-1-1375-YL	Yellow	3	1	1	1	1375	14	12	OH
	RFC-3-1-1375-RD	Red	3	1	1	1	1375	14	12	OH
	RFC-3-1-1375-BL	Blue	3	1	1	1	1375	14	12	OH
	RFC-3-1-1375-GR	Green	3	1	1	1	1375	14	12	OH
	RFC-3-1-1375-OR	Orange	3	1	1	1	1375	14	12	OH
10 day lead time	RFC-4-6-250-YL	Yellow	4	6	1	1	250	17	12	OH
	RFC-4-6-250-RD	Red	4	6	1	1	250	17	12	OH
	RFC-4-6-250-BL	Blue	4	6	1	1	250	17	12	OH
	RFC-4-6-250-GR	Green	4	6	1	1	250	17	12	OH
	RFC-4-6-250-OR	Orange	4	6	1	1	250	17	12	OH

PMS Colors: Pantone Yellow, 032 Red, 290 Blue, 345 Green, 1495 Orange

Fluorescent Floodcoated Thermal Transfer Labels

AlphaTech Part #	Color	Width	Length	Nbr Up	Core Size	Labels / Roll	Approx Wt / Case	Rolls / Case	Stocking Locations
------------------	-------	-------	--------	--------	-----------	---------------	------------------	--------------	--------------------

8" O.D. Fluorescent Floodcoated Thermal Transfer, Permanent Adhesive, Perfed Each, Wound Out, 3" Core

FL-2-3-1900-RD	Red	2	3	1	3	1900	23	8	OH
FL-2-3-1900-CH	Chartreuse	2	3	1	3	1900	23	8	OH
FL-2-3-1900-GR	Green	2	3	1	3	1900	23	8	OH
FL-2-3-1900-OR	Orange	2	3	1	3	1900	23	8	OH
FL-2-3-1900-PK	Pink	2	3	1	3	1900	23	8	OH
FL-3-5-1200-RD	Red	3	5	1	3	1200	35	8	OH
FL-3-5-1200-CH	Chartreuse	3	5	1	3	1200	35	8	OH
FL-3-5-1200-GR	Green	3	5	1	3	1200	35	8	OH
FL-3-5-1200-OR	Orange	3	5	1	3	1200	35	8	OH
FL-3-5-1200-PK	Pink	3	5	1	3	1200	35	8	OH
FL-4-2-2900-RD	Red	4	2	1	3	2900	23	4	OH
FL-4-2-2900-CH	Chartreuse	4	2	1	3	2900	23	4	OH
FL-4-2-2900-GR	Green	4	2	1	3	2900	23	4	OH
FL-4-2-2900-OR	Orange	4	2	1	3	2900	23	4	OH
FL-4-2-2900-PK	Pink	4	2	1	3	2900	23	4	OH
FL-4-3-1900-RD	805 Red	4	3	1	3	1900	22	4	OH
FL-4-3-1900-CH	Chartreuse	4	3	1	3	1900	22	4	OH
FL-4-3-1900-GR	Green	4	3	1	3	1900	22	4	OH
FL-4-3-1900-OR	Orange	4	3	1	3	1900	22	4	OH
FL-4-3-1900-PK	Pink	4	3	1	3	1900	22	4	OH
FL-4-6-1000-RD	Red	4	6	1	3	1000	28	4	OH
FL-4-6-1000-CH	Chartreuse	4	6	1	3	1000	28	4	OH
FL-4-6-1000-GR	Green	4	6	1	3	1000	28	4	OH
FL-4-6-1000-OR	Orange	4	6	1	3	1000	28	4	OH
FL-4-6-1000-PK	Pink	4	6	1	3	1000	28	4	OH

PMS Colors: 805 Red, Chartreuse (Yellow-Green), 802 Green, 804 Orange, 806 Pink


Horizontal Color Bar Thermal Transfer Labels

AlphaTech Part#	Color	Width	Length	Nbr Up	Core Size	Labels / Roll	Approx Wt / Case	Rolls / Case	Stocking Locations
-----------------	-------	-------	--------	--------	-----------	---------------	------------------	--------------	--------------------

8" O.D. 1/2" Horizontal Color Bar at Trailing Edge, Thermal Transfer, Perm Adhes, Perfed Each, Wound Out, 3" Core

RTC-4-65-1000-BL	Blue	4	6.5	1	3	1000	24	4	OH
RTC-4-65-1000-GR	Green	4	6.5	1	3	1000	24	4	OH
RTC-4-65-1000-OR	Orange	4	6.5	1	3	1000	24	4	OH
RTC-4-65-1000-PV	Violet	4	6.5	1	3	1000	24	4	OH

PMS Colors: Process Blue, Pantone Green, 021U Orange, Pantone Violet



Thermal Transfer Circles

AlphaTech Part #	Color	Label Size	Nbr Up	Core Size	Labels / Roll	Approx Wt / Case	Rolls / Case	Stocking Locations
------------------	-------	------------	--------	-----------	---------------	------------------	--------------	--------------------

1" Circles, Floodcoated Thermal Transfer, 4" O.D., Permanent Adhesive, No Perf, Wound Out, 3" Core

IT-1-CIR-WH	White	1" Diam. Circle	1	3	500	2	4	OH
IT-1-CIR-RD	Red	1" Diam. Circle	1	3	500	2	4	OH
IT-1-CIR-BLK	Black	1" Diam. Circle	1	3	500	2	4	OH
IT-1-CIR-BL	Blue	1" Diam. Circle	1	3	500	2	4	OH
IT-1-CIR-PU	Purple	1" Diam. Circle	1	3	500	2	4	OH
IT-1-CIR-GR	Green	1" Diam. Circle	1	3	500	2	4	OH
IT-1-CIR-YL	Yellow	1" Diam. Circle	1	3	500	2	4	OH
IT-1-CIR-PK	Pink	1" Diam. Circle	1	3	500	2	4	OH
IT-1-CIR-BR	Brown	1" Diam. Circle	1	3	500	2	4	OH
IT-1-CIR-OR	Orange	1" Diam. Circle	1	3	500	2	4	OH

PMS Colors: 032 Red, Black, 290 Blue, 265 Purple, 345 Green, Pantone Yellow, 1905 Pink, 4705 Brown, 1495 Orange

1" Circles, Fluorescent Thermal Transfer, 4" O.D., Permanent Adhesive, Perfed Each, Wound Out, 3" Core

10 day lead time

FL-1-CIR-RD	Red	1" Diam. Circle	1	3	500	2	4	OH
FL-1-CIR-CH	Chartreuse	1" Diam. Circle	1	3	500	2	4	OH
FL-1-CIR-GR	Green	1" Diam. Circle	1	3	500	2	4	OH
FL-1-CIR-OR	Orange	1" Diam. Circle	1	3	500	2	4	OH
FL-1-CIR-PK	Pink	1" Diam. Circle	1	3	500	2	4	OH

PMS Colors: 805 Red, Chartreuse (Yellow-Green), 802 Green, 804 Orange, 806 Pink

1 1/2" Circles, Floodcoated Thermal Transfer, 5" O.D., Permanent Adhesive, No Perf, Wound Out, 3" Core

IT-15-CIR-WH	White	1.5" Diam. Circle	1	3	1000	3	4	OH
IT-15-CIR-RD	Red	1.5" Diam. Circle	1	3	1000	3	4	OH
IT-15-CIR-BLK	Black	1.5" Diam. Circle	1	3	1000	3	4	OH
IT-15-CIR-BL	Blue	1.5" Diam. Circle	1	3	1000	3	4	OH
IT-15-CIR-PU	Purple	1.5" Diam. Circle	1	3	1000	3	4	OH
IT-15-CIR-GR	Green	1.5" Diam. Circle	1	3	1000	3	4	OH
IT-15-CIR-YL	Yellow	1.5" Diam. Circle	1	3	1000	3	4	OH
IT-15-CIR-PK	Pink	1.5" Diam. Circle	1	3	1000	3	4	OH
IT-15-CIR-BR	Brown	1.5" Diam. Circle	1	3	1000	3	4	OH
IT-15-CIR-OR	Orange	1.5" Diam. Circle	1	3	1000	3	4	OH

PMS Colors: 032 Red, Black, 290 Blue, 265 Purple, 345 Green, Pantone Yellow, 1905 Pink, 4705 Brown, 1495 Orange

1 1/2" Circles, Thermal Transfer, 8" O.D., Permanent Adhesive, Perfed Each, Wound Out, 3" Core

TT-15-CIR-WH	White	1.5" Diam. Circle	1	3	3500	14	8	OH
--------------	-------	-------------------	---	---	------	----	---	----

1 1/2" Circles, Fluorescent Thermal Transfer, 8" O.D., Permanent Adhesive, Perfed Each, Wound Out, 3" Core

FL-15-CIR-RD	Red	1.5" Diam. Circle	1	3	3286	16	8	OH
FL-15-CIR-CH	Chartreuse	1.5" Diam. Circle	1	3	3286	16	8	OH
FL-15-CIR-GR	Green	1.5" Diam. Circle	1	3	3286	16	8	OH
FL-15-CIR-OR	Orange	1.5" Diam. Circle	1	3	3286	16	8	OH
FL-15-CIR-PK	Pink	1.5" Diam. Circle	1	3	3286	16	8	OH

PMS Colors: 805 Red, Chartreuse (Yellow-Green), 802 Green, 804 Orange, 806 Pink

RFID Enabled Thermal Transfer Labels

If ordering quantity of 101M and above, please call for pricing

AlphaTech Part #	Width	Length	Core Size	Labels / Roll	Rolls / Carton
------------------	-------	--------	-----------	---------------	----------------

Printronix SL5000r / SL4m Alien Squiggle *EPC Class 1, Gen 2 *96 bit *UHF *915 MHz, Perfed, Thermal Transfer, Perm Adh

RFT-4-1-AL1.2-PRIN-3 (Higgs-3 IC)	4	1	3	2500	4
RFT-4-2-AL1.2-PRIN-3 (Higgs-3 IC)	4	2	3	2500	4
RFT-4-6-AL1.2-PRIN-3 (Higgs-3 IC)	4	6	3	800	5

Printronix SL5000r / SL4m Avery AD227 *EPC Class 1, Gen 2 *96 bit *UHF *915 MHz, Perfed, Thermal Transfer, Perm Adh

RFT-4-2-AV1.2-PRIN-3	4	2	3	2500	4
RFT-4-6-AV1.2-PRIN-3	4	6	3	800	5

Zebra R 110xi/R 170xi Alien Squiggle *EPC Class 1, Gen 2 *96 bit *UHF *915 MHz, Perfed, Thermal Transfer, Perm Adh

RFT-4-1-AL1.2-ZEB-3 (Higgs-3 IC)	4	1	3	2500	4
RFT-4-2-AL1.2-ZEB-3 (Higgs-3 IC)	4	2	3	2500	4
RFT-4-4-AL1.2-ZEB-3 (Higgs-3 IC)	4	4	3	1000	5
RFT-4-6-AL1.2-ZEB-3 (Higgs-3 IC)	4	6	3	800	5
RFT-4-6-AL1.2-ZEB-FF (Higgs-3 IC)	4	6	FF	800	4
RFT-4-6-ALH-ZEB-3 (Higgs-4 IC)	4	6	3	800	5

Zebra R 110xi/R 170xi Avery AD227 *EPC Class 1, Gen 2 *96 bit *UHF *915 MHz, Perfed, Thermal Transfer, Perm Adh

RFT-4-2-AV1.2-ZEB-3	4	2	3	2500	4
RFT-4-6-AV1.2-ZEB-3	4	6	3	800	5

Zebra RZ400 / RZ600 Alien / Avery *EPC Class 1, Gen 2 *96 bit *UHF *915 MHz, Perfed, Thermal Transfer, Perm Adh

RFT-4-2-AL2-RZ400-3 (Higgs-3 IC)	4	2	3	2500	4
RFT-4-6-AL2-RZ400-3 (Higgs-3 IC)	4	6	3	800	5
RFT-4-6-AV2-RZ400-3	4	6	3	800	5

Zebra RP4T Alien Squiggle *EPC Class 1, Gen 2 *96 bit *UHF *915 MHz, Perfed, Thermal Transfer, Perm Adh

RFT-4-2-AL2-ZEB-RP4T (Higgs-3 IC)	4	2	1.375	200	25
-----------------------------------	---	---	-------	-----	----

Monarch 9855 Avery AD227 *EPC Class 1, Gen 2 *96 bit *UHF *915 MHz, Perfed, Thermal Transfer, Perm Adh

RFT-4-2-AV2-MON9855	4	2	3	2500	4
RFT-4-6-AV2-MON9855	4	6	3	800	5

Avery 6405 Avery AD227 *EPC Class 1, Gen 2 *96 bit *UHF *915 MHz, Perfed, Thermal Transfer, Perm Adh

RFT-4-2-AV1.2-AV6405	4	2	3	1000	5
----------------------	---	---	---	------	---

Datamax H Class Alien Squiggle *EPC Class 1, Gen 2 *96 bit *UHF *915 MHz, Perfed, Thermal Transfer, Perm Adh

RFT-4-2-AL1.2-DA,H-3 (Higgs-3 IC)	4	2	3	2500	4
RFT-4-6-AL1.2-DA,H-3 (Higgs-3 IC)	4	6	3	800	5

Intermec PM4i Alien Squiggle *EPC Class 1, Gen 2 *96 bit *UHF *915 MHz, Perfed, Thermal Transfer, Perm Adh

RFT-4-2-AL1.2-I,PM4I (Higgs-3 IC)	4	2	3	2500	4
RFT-4-6-AL1.2-I,PM4I (Higgs-3 IC)	4	6	3	800	5

Chip-neutral insertion process, compatible with available UHF (915 MHz) or HF (13.56 MHz) transponders. Insertion in a variety of materials: TTR, films, tag, and synthetic tag. Specialty adhesives available. Pre-encoding and imprinting available, delivered 100% verified. DOD-Compliant Label Service Bureau. To receive RFID bracket pricing, quantities must be met. RFID is subject to a 40% restocking fee. RFID reworks: \$100 plus the cost of labels. All RFID shipments are required to be insured. Alien Squiggle and Avery AD227 are trademarks of their respective manufacturers.

Yellow shaded items have a ten day lead time.

Direct Thermal Labels

10 day
lead time

AlphaTech Part #	Width	Length	Nbr Up	Core Size	Labels / Roll	Approx Wt / Case	Rolls / Case	Stocking Locations
------------------	-------	--------	--------	-----------	---------------	------------------	--------------	--------------------

12" O.D. Topcoated Direct Thermal (Light Visible), Permanent Adhesive, No Perf, Wound Out, 3" Core

DT-4-6-2800-NP	4	6	1	3	2800	N/A	3	OH
----------------	---	---	---	---	------	-----	---	----

8" O.D. Topcoated Direct Thermal (Light Visible), Permanent Adhesive, Perfed Each, Wound Out, 3" Core

DT-1-1-5500-3	1	1	1	3	5500	12	8	OH
DT-1-4-1500-3	1	4	1	3	1500	12	8	OH
DT-15-1-5500-3	1.5	1	1	3	5500	18	8	OH, AZ
DT-15-125-4450-3	1.5	1.25	1	3	4450	19	8	OH
DT-15-15-3600-3	1.5	1.5	1	3	3600	17	8	OH, AZ
DT-2-1-5500-3	2	1	1	3	5500	23	8	OH, AZ
DT-2-1-5500-NP	2	1	1	3	5500	23	8	OH
DT-2-15-3600-3	2	1.5	1	3	3600	23	8	OH
DT-2-2-2900-3	2	2	1	3	2900	24	8	OH, AZ
DT-2-3-1900-3	2	3	1	3	1900	23	8	OH
DT-225-125-4450-3	2.25	1.25	1	3	4450	25	8	OH, AZ
DT-225-25-2500-3	2.25	2.5	1	3	2500	29	8	OH
DT-25-1-5500-3	2.5	1	1	3	5500	29	8	OH
DT-25-15-3600-3	2.5	1.5	1	3	3600	N/A	8	OH
DT-25-2-2900-3	2.5	2	1	3	2900	29	8	OH
DT-3-1-5500-3	3	1	1	3	5500	33	8	OH, AZ
DT-3-15-3600-3	3	1.5	1	3	3600	32	8	OH
DT-3-2-2900-3	3	2	1	3	2900	34	8	OH, AZ
DT-3-3-1900-3	3	3	1	3	1900	35	8	OH, AZ
DT-3-5-1200-3	3	5	1	3	1200	35	8	OH, AZ
DT-3125-5-1200-3	3.125	5	1	3	1200	18	4	OH
DT-35-1-5500-3	3.5	1	1	3	5500	20	4	OH, AZ
DT-35-15-3600-3	3.5	1.5	1	3	3600	19	4	OH, AZ
DT-35-15-3600-NP	3.5	1.5	1	3	3600	19	4	OH
DT-35-35-1600-3	3.5	3.5	1	3	1600	21	4	OH
DT-4-1-5500-3	4	1	1	3	5500	23	4	OH, AZ
DT-4-15-3600-3	4	1.5	1	3	3600	21	4	OH, AZ
DT-4-2-2900-3	4	2	1	3	2900	23	4	OH, AZ
DT-4-25-2500-3	4	2.5	1	3	2500	26	4	OH, AZ
DT-4-3-1900-3	4	3	1	3	1900	22	4	OH, AZ
DT-4-4-1500-3	4	4	1	3	1500	23	4	OH, AZ
DT-4-6-1000-3	4	6	1	3	1000	24	4	OH, AZ
DT-4-65-900-3	4	6.5	1	3	900	23	4	OH, AZ
DT-4-8-750-3	4	8	1	3	750	24	4	WI
DT-45-25-2500-3	4.5	2.5	1	3	2500	30	4	OH

Non-Topcoated Direct Thermal is an uncoated medium sensitivity product with an acrylic permanent adhesive. This material has excellent image quality. Because this material is uncoated, it should be tested by the end user before ordering large quantities. This product should not be used in applications that require extreme environmental resistance. Application Temp (+32° F), Service Temp (-4° to +176° F).

Topcoated Direct Thermal is a topcoated medium sensitivity product with an acrylic permanent adhesive. This material has excellent image quality and it provides excellent results in most environmental conditions. We recommend that any direct thermal material be tested in an end-user application before ordering large quantities. Application Temp (+32° F), Service Temp (-4° to +176° F).

Yellow shaded items have a ten day lead time.

AlphaTech Part #	Width	Length	Nbr Up	Core Size	Labels / Roll	Approx Wt / Case	Rolls / Case	Stocking Locations
------------------	-------	--------	--------	-----------	---------------	------------------	--------------	--------------------

8" O.D. Topcoated Direct Thermal (Light Visible), Permanent Adhesive, Perfed Each, Wound Out, 3" Core (continued)

DT-45-45-1400-3	4.5	4.5	1	3	1400	27	4	OH
DT-45-6-1000-3	4.5	6	1	3	1000	26	4	OH
DT-6-4-1500-3	6	4	1	3	1500	35	4	OH
DT-6-6-1000-3	6	6	1	3	1000	38	4	OH
DT-4-500-1-3*	4	500'	1	3	1	24	4	OH

10 day
lead time

* This item's price is per roll. Continuous roll that is 4 inches wide and 500 feet long with 1/16 inch carrier on each side for easy removal.

8" O.D. Non-Topcoated Direct Thermal (Light Visible), Permanent Adhesive, Perfed Each, Wound Out, 3" Core

RDS-2-1-5500-3	2	1	1	3	5500	23	8	OH
RDS-2-1-11000-3	2	1	2	3	11,000	23	4	OH
RDS-3-1-5500-3	3	1	1	3	5500	33	8	OH
RDS-35-1-5500-3	3.5	1	1	3	5500	20	4	OH
RDS-4-1-5500-3	4	1	1	3	5500	23	4	OH
RDS-4-2-2900-3	4	2	1	3	2900	23	4	OH
RDS-4-3-1900-3	4	3	1	3	1900	22	4	OH
RDS-4-4-1500-3	4	4	1	3	1500	23	4	OH
RDS-4-6-1000-3	4	6	1	3	1000	24	4	OH, WI
RDS-4-6-1000-NP	4	6	1	3	1000	24	4	OH
RDS-4-65-900-3	4	6.5	1	3	900	23	4	OH
RDS-4-8-750-3	4	8	1	3	750	24	4	WI

10 day
lead time

10 day
lead time

8" O.D. Removable Adhesive, Topcoated Direct Thermal (Light Visible), Perfed Each, Wound Out, 3" Core

RDE-15-1-5500-3	1.5	1	1	3	5500	18	8	OH
RDE-2-1-5500-3	2	1	1	3	5500	33	8	OH
RDE-3-1-5500-3	3	1	1	3	5500	33	8	OH
RDE-3-5-1200-3	3	5	1	3	1200	35	8	OH
RDE-35-15-3600-3	3.5	1.5	1	3	3600	19	4	OH
RDE-4-1-5500-3	4	1	1	3	5500	23	4	OH
RDE-4-2-2900-3	4	2	1	3	2900	23	4	OH
RDE-4-3-1900-3	4	3	1	3	1900	22	4	OH
RDE-4-4-1500-3	4	4	1	3	1500	23	4	OH
RDE-4-6-1000-3	4	6	1	3	1000	24	4	OH, AZ

10 day
lead time

6" O.D. Topcoated Direct Thermal (Light Visible), Permanent Adhesive, Perfed Each, Wound Out, 3" Core

DT-2-1-2750-3	2	1	1	3	2750	20	12	OH
DT-3-2-1475-3	3	2	1	3	1475	22	8	OH
DT-4-6-525-3	4	6	1	3	525	28	8	OH

10 day
lead time

5" O.D. Topcoated Direct Thermal (Light Visible), Permanent Adhesive, Perfed Each, Wound Out, 1" Core

DT-2-1-2500-1	2	1	1	1	2500	18	12	OH
DT-225-125-2100-1	2.25	1.25	1	1	2100	21	12	OH
DT-25-1-2500-1	2.5	1	1	1	2500	22	12	OH
DT-3-1-2500-1	3	1	1	1	2500	25	12	OH, AZ
DT-3-3-890-1	3	3	1	1	890	26	12	OH
DT-35-1-2500-1	3.5	1	1	1	2500	29	12	OH
DT-4-1-2500-1	4	1	1	1	2500	32	12	OH

Yellow shaded items have a ten day lead time.

10 day
lead time

10 day
lead time

AlphaTech Part #	Width	Length	Nbr Up	Core Size	Labels / Roll	Approx Wt / Case	Rolls / Case	Stocking Locations
5" O.D. Topcoated Direct Thermal (Light Visible), Permanent Adhesive, Perfed Each, Wound Out, 1" Core (continued)								
DT-4-15-1800-1	4	1.5	1	1	1800	32	12	OH
DT-4-2-1320-1	4	2	1	1	1320	34	12	OH
DT-4-3-890-1	4	3	1	1	890	23	12	OH
DT-4-4-700-1	4	4	1	1	700	35	12	OH
DT-4-6-460-1	4	6	1	1	460	35	12	OH, AZ
DT-4-65-380-1	4	6.5	1	1	380	31	12	OH

4" O.D. Topcoated Direct Thermal (Light Visible), Permanent Adhesive, Perfed Each, Wound Out, 1" Core

DT-1-05-4900-1	1	0.5	2	1	4900	9	12	OH
DT-1-1-2750-1	1	1	2	1	2750	9	12	OH
DT-1-3-500-1	1	3	1	1	500	6	12	OH
DT-125-085-1800-1	1.25	0.85	1	1	1800	N/A	12	OH
DT-125-1-1375-1	1.25	1	1	1	1375	6	12	OH
DT-15-075-3500-1	1.5	0.75	2	1	3500	14	12	OH
DT-15-1-1375-1	1.5	1	1	1	1375	7	12	OH
DT-15-1-2750-1	1.5	1	2	1	2750	15	12	OH
DT-15-15-960-1	1.5	1.5	1	1	960	7	12	OH
DT-2-1-1375-1	2	1	1	1	1375	9	12	OH, AZ
DT-2-1-2750-1	2	1	2	1	2750	18	12	OH
DT-2-15-960-1	2	1.5	1	1	960	10	12	OH
DT-2-2-735-1	2	2	1	1	735	10	12	OH
DT-2-4-380-1	2	4	1	1	380	10	12	OH
DT-225-1-1375-1	2.25	1	1	1	1375	11	12	OH
DT-225-125-1135-1	2.25	1.25	1	1	1135	10	12	OH, AZ
DT-225-2-735-1	2.25	2	1	1	735	11	12	OH
DT-225-3-500-1	2.25	3	1	1	500	11	12	OH
DT-225-4-440-1	2.25	4	1	1	440	N/A	12	OH
DT-25-075-1750-1	2.5	0.75	1	1	1750	N/A	12	OH
DT-25-1-1375-1	2.5	1	1	1	1375	12	12	OH
DT-25-15-960-1	2.5	1.5	1	1	960	12	12	OH
DT-3-075-1750-1	3	0.75	1	1	1750	14	12	OH
DT-3-1-1375-1	3	1	1	1	1375	14	12	AZ, WI
DT-3-15-960-1	3	1.5	1	1	960	10	12	OH
DT-3-2-735-1	3	2	1	1	735	15	12	OH
DT-3-3-500-1	3	3	1	1	500	13	12	OH
DT-3-5-300-1	3	5	1	1	300	14	12	OH
DT-35-1-1375-1	3.5	1	1	1	1375	16	12	OH, AZ
DT-35-15-960-1	3.5	1.5	1	1	960	14	12	OH
DT-35-5-300-1	3.5	5	1	1	300	N/A	12	OH
DT-4-05-2450-1	4	0.5	1	1	2450	17	12	OH
DT-4-1-1375-1	4	1	1	1	1375	17	12	OH, AZ
DT-4-15-960-1	4	1.5	1	1	960	17	12	OH, AZ
DT-4-2-735-1	4	2	1	1	735	18	12	AZ, WI
DT-4-25-595-1	4	2.5	1	1	595	19	12	OH
DT-4-3-500-1	4	3	1	1	500	18	12	OH, AZ
DT-4-4-380-1	4	4	1	1	380	18	12	OH

Yellow shaded items have a ten day lead time.

10 day
lead time

AlphaTech Part #	Width	Length	Nbr Up	Core Size	Labels / Roll	Approx Wt / Case	Rolls / Case	Stocking Locations
4" O.D. Topcoated Direct Thermal (Light Visible), Permanent Adhesive, Perfed Each, Wound Out, 1" Core (continued)								
DT-4-5-350-1	4	5	1	1	350	17	12	OH
DT-4-6-250-1	4	6	1	1	250	17	12	AZ, WI
DT-4-65-230-1	4	6.5	1	1	230	17	12	OH
DT-4-8-200-1	4	8	1	1	200	20	12	OH
DT-4-200-1-1*	4	200'	1	1	1	28	12	OH

* This item's price is per roll. Continuous roll that is 4 inches wide and 200 feet long with 1/16 inch carrier on each side for easy removal.

4" O.D. Removable Adhesive, Topcoated Direct Thermal (Light Visible), Perfed Each, Wound Out, 1" Core

RDE-2-1-1375-1	2	1	1	1	1375	10	12	OH
RDE-225-125-1135-1	2.25	1.25	1	1	1135	11	12	OH
RDE-3-1-1375-1	3	1	1	1	1375	14	12	OH
RDE-4-1-1375-1	4	1	1	1	1375	19	12	OH
RDE-4-15-960-1	4	1.5	1	1	960	19	12	OH
RDE-4-2-735-1	4	2	1	1	735	19	12	OH
RDE-4-6-250-1	4	6	1	1	250	20	12	OH

2.5" O.D. Topcoated Direct Thermal (Light Visible), Perm Adhes, Perf Each, Wound Out, .75" Core Sensemark on Liner

DT-2-125-460-075	2	1.25	1	0.75	460	11	36	OH
DT-3-1-560-075	3	1	1	0.75	560	16	36	OH
DT-3-2-300-075	3	2	1	0.75	300	18	36	OH
DT-4-2-300-075	4	2	1	0.75	300	24	36	OH
DT-4-3-200-075	4	3	1	0.75	200	24	36	OH
DT-4-4-160-075	4	4	1	0.75	160	19	36	OH
DT-4-6-105-075	4	6	1	0.75	105	25	36	OH
DT-4-65-90-075	4	6.5	1	0.75	90	N/A	36	OH

For Zebra Printers: QL, QL Plus Series. For Datamax Printers: RL4, RL3.

10 day
lead time

Direct Thermal Labels with Ultra Thin Liner

AlphaTech Part #	Width	Length	Nbr Up	Core Size	Labels / Roll	Approx Wt / Case	Rolls / Case	Stocking Locations
------------------	-------	--------	--------	-----------	---------------	------------------	--------------	--------------------

12" O.D. Ultra Thin Liner, Non-Topcoated Direct Thermal, No Perf, Wound Out, 3" Core

RDL-4-6-3200-NP	4	6	1	3	3200	46	3	OH
-----------------	---	---	---	---	------	----	---	----

8" O.D. Ultra Thin Liner, Non-Topcoated Direct Thermal, Perfed Each, Wound Out, 3" Core

RDL-4-6-1300-3	4	6	1	3	1300	27	4	OH
----------------	---	---	---	---	------	----	---	----

5" O.D. Ultra Thin Liner, Non-Topcoated Direct Thermal, Perfed Each, Wound Out, 1" Core

RDL-4-2-1700-1	4	2	1	1	1700	33	12	OH
RDL-4-3-1100-1	4	3	1	1	1100	33	12	OH
RDL-4-6-575-1	4	6	1	1	575	35	12	OH

Yellow shaded items have a ten day lead time.

Direct Thermal Shipping System Labels

AlphaTech Part #	O.D.	Width	Length	Nbr Up	Core Size	Labels / Roll	Approx Wt / Case	Rolls / Case	Stocking Locations
------------------	------	-------	--------	--------	-----------	---------------	------------------	--------------	--------------------

FedEx Direct Thermal Shipping Labels with 3/4" DOC Tab (Near IR), Permanent Adhesive

10 day lead time	RPS-4-675-250-1	3.75"	4	6.75	1	1	250	22	12	OH
	RPS-4-675-250-1-NP	3.75"	4	6.75	1	1	250	22	12	OH
	RPS-4-675-250-15-NP	3.75"	4	6.75	1	1.5	250	22	12	OH
10 day lead time	RPS-4-675-820-3	7.25"	4	6.75	1	3	820	24	4	OH
	RPS-4-675-820-3-NP	7.25"	4	6.75	1	3	820	24	4	OH

UPS Direct Thermal Shipping Labels with 2" DOC Tab (Near IR), Permanent Adhesive, Perfed each

10 day lead time	RPS-4-825-200-1	3.75"	4	8.25	1	1	200	N/A	12	OH
	RPS-4-825-750-3	8"	4	8.25	1	3	750	N/A	4	OH

Direct Thermal Fanfold Labels & Tags

AlphaTech Part #	Width	Length	Labels / Fold	FF= Fanfold	Labels / Stack	Approx Wt / Case	Labels / Case	Stocking Locations
------------------	-------	--------	---------------	-------------	----------------	------------------	---------------	--------------------

Fanfold Stack, Topcoated Direct Thermal (Light Visible), Permanent Adhesive, Perfed Each

DT-3-2-7500-FF	3	2	5	FF	7500	N/A	15000	OH
DT-4-3-8000-FF	4	3	4	FF	8000	N/A	8000	OH
DT-4-6-2000-FF	4	6	2	FF	2000	22	4000	OH, AZ
DT-4-65-2000-FF	4	6.5	2	FF	2000	24	4000	OH
DT-4-8-1000-FF	4	8	1	FF	1000	N/A	2000	OH

Fanfold Stack, Non-Topcoated Direct Thermal (Light Visible), Permanent Adhesive, Perfed Each

RDS-4-6-2000-FF	4	6	2	FF	2000	22	4000	OH, AZ
RDS-4-65-2000-FF	4	6.5	2	FF	2000	24	4000	OH

7 pt. Direct Thermal Tag Stock, Postal Bag and Tray Tag, Fanfold


REP-334-1915-NF	3.34	1.915	1	FF	32,000	50	10	OH
-----------------	------	-------	---	----	--------	----	----	----

Postal tags are manufactured to run through a Microcom 410 thermal printer.



FEDEX SHIPPING LABELS
3/4" DOC TAB

UPS SHIPPING LABELS
2" DOC TAB



DIRECT THERMAL
POSTAL BAG AND TRAY TAGS

Dymo Compatible Direct Thermal Labels

AlphaTech Part #	Width	Length	Nbr Up	Labels / Roll	Approx Wt / Case	Rolls / Case	Stocking Locations
------------------	-------	--------	--------	---------------	------------------	--------------	--------------------

Topcoated Direct Thermal (Light Visible), Permanent Adhesive, No Perf, Wound Out, 1" Core

DYM-05-1-1000-1	0.5	1	2	1000	N/A	10	WI
DYM-5625-34375-260-1	0.5625	3.4375	2	260	N/A	10	WI
DYM-075-2-500-1	0.75	2	1	500	N/A	10	WI
DYM-1-1-750-1	1	1	1	750	N/A	10	WI
DYM-1-2125-500-1	1	2.125	1	500	N/A	10	WI
DYM-109375-35-350-1	1.09375	3.5	1	350	N/A	10	WI
DYM-109375-35-350-YL	1.09375	3.5	1	350	N/A	10	WI
DYM-11-35-700-1	1.1	3.5	2	700	N/A	10	WI
DYM-140625-35-350-1	1.40625	3.5	1	350	N/A	10	WI
DYM-164-1235-200-1	1.64	1.235	1	200	N/A	10	WI
DYM-2125-275-320-1	2.125	2.75	1	320	N/A	10	WI
DYM-2125-396875-220-1	2.125	3.96875	1	220	N/A	10	WI
DYM-225-125-1000-1	2.25	1.25	1	1000	N/A	10	WI
DYM-23125-4-300-1	2.3125	4	1	300	N/A	10	WI
DYM-41-625-200-1*	4.1	6.25	1	200	N/A	10	WI

*Only compatible with LabelWriter 4XL



Floodcoated Direct Thermal Labels

AlphaTech Part #	Color	Width	Length	Nbr Up	Core Size	Labels / Roll	Approx Wt / Case	Rolls / Case	Stocking Locations
------------------	-------	-------	--------	--------	-----------	---------------	------------------	--------------	--------------------

8" O.D. Floodcoated Topcoated Direct Thermal (Light Visible), Permanent Adhesive, Perfed Each, Wound Out, 3" Core

10 day lead time	DT-3-1-5500-YL	Yellow	3	1	1	3	5500	34	8	OH
	DT-3-1-5500-RD	Red	3	1	1	3	5500	34	8	OH
	DT-3-1-5500-BL	Blue	3	1	1	3	5500	34	8	OH
	DT-3-1-5500-GR	Green	3	1	1	3	5500	34	8	OH
	DT-3-1-5500-OR	Orange	3	1	1	3	5500	34	8	OH
10 day lead time	DT-3-5-1200-YL	Yellow	3	5	1	3	1200	36	8	OH
	DT-3-5-1200-RD	Red	3	5	1	3	1200	36	8	OH
	DT-3-5-1200-BL	Blue	3	5	1	3	1200	36	8	OH
	DT-3-5-1200-GR	Green	3	5	1	3	1200	36	8	OH
	DT-3-5-1200-OR	Orange	3	5	1	3	1200	36	8	OH
10 day lead time	DT-4-2-2900-YL	Yellow	4	2	1	3	2900	23	4	OH
	DT-4-2-2900-RD	Red	4	2	1	3	2900	23	4	OH
	DT-4-2-2900-BL	Blue	4	2	1	3	2900	23	4	OH
	DT-4-2-2900-GR	Green	4	2	1	3	2900	23	4	OH
	DT-4-2-2900-OR	Orange	4	2	1	3	2900	23	4	OH
	DT-4-3-1900-YL	Yellow	4	3	1	3	1900	23	4	OH
	DT-4-3-1900-RD	Red	4	3	1	3	1900	23	4	OH
	DT-4-3-1900-BL	Blue	4	3	1	3	1900	23	4	OH
	DT-4-3-1900-GR	Green	4	3	1	3	1900	23	4	OH
	DT-4-3-1900-OR	Orange	4	3	1	3	1900	23	4	OH
	DT-4-6-1000-YL	Yellow	4	6	1	3	1000	24	4	OH
	DT-4-6-1000-RD	Red	4	6	1	3	1000	24	4	OH
	DT-4-6-1000-BL	Blue	4	6	1	3	1000	24	4	OH
	DT-4-6-1000-GR	Green	4	6	1	3	1000	24	4	OH
	DT-4-6-1000-OR	Orange	4	6	1	3	1000	24	4	OH

4" O.D. Floodcoated Topcoated Direct Thermal (Light Visible), Permanent Adhesive, Perfed Each, Wound Out, 1" Core

10 day lead time	DT-15-1-1375-YL	Yellow	1.5	1	1	1	1375	7	12	OH
	DT-15-1-1375-RD	Orange	1.5	1	1	1	1375	7	12	OH
	DT-15-1-1375-BL	Blue	1.5	1	1	1	1375	7	12	OH
	DT-15-1-1375-GR	Green	1.5	1	1	1	1375	7	12	OH
	DT-15-1-1375-OR	Orange	1.5	1	1	1	1375	7	12	OH
10 day lead time	DT-2-1-1375-YL	Yellow	2	1	1	1	1375	9	12	OH
	DT-2-1-1375-RD	Red	2	1	1	1	1375	9	12	OH
	DT-2-1-1375-BL	Blue	2	1	1	1	1375	9	12	OH
	DT-2-1-1375-GR	Green	2	1	1	1	1375	9	12	OH
	DT-2-1-1375-OR	Orange	2	1	1	1	1375	9	12	OH
10 day lead time	DT-225-125-1135-YL	Yellow	2.25	1.25	1	1	1135	10	12	OH
	DT-225-125-1135-RD	Orange	2.25	1.25	1	1	1135	10	12	OH
	DT-225-125-1135-BL	Blue	2.25	1.25	1	1	1135	10	12	OH
10 day lead time	DT-225-125-1135-GR	Green	2.25	1.25	1	1	1135	10	12	OH
	DT-225-125-1135-OR	Orange	2.25	1.25	1	1	1135	10	12	OH
10 day lead time	DT-2-3-500-YL	Yellow	2	3	1	1	500	10	12	OH
	DT-2-3-500-RD	Red	2	3	1	1	500	10	12	OH
	DT-2-3-500-BL	Blue	2	3	1	1	500	10	12	OH

18 Yellow shaded items have a ten day lead time.

AlphaTech Part #	Color	Width	Length	Nbr Up	Core Size	Labels / Roll	Approx Wt / Case	Rolls / Case	Stocking Locations
------------------	-------	-------	--------	--------	-----------	---------------	------------------	--------------	--------------------

4" O.D. Floodcoated Topcoated Direct Thermal (Light Visible), Perm Adhes, Perf Each, Wound Out, 1" Core (continued)

DT-2-3-500-GR	Green	2	3	1	1	500	10	12	OH	10 day lead time
DT-2-3-500-OR	Orange	2	3	1	1	500	10	12	OH	
DT-3-1-1375-YL	Yellow	3	1	1	1	1375	14	12	OH	10 day lead time
DT-3-1-1375-RD	Orange	3	1	1	1	1375	14	12	OH	
DT-3-1-1375-BL	Blue	3	1	1	1	1375	14	12	OH	10 day lead time
DT-3-1-1375-GR	Green	3	1	1	1	1375	14	12	OH	
DT-3-1-1375-OR	Orange	3	1	1	1	1375	14	12	OH	10 day lead time
DT-3-2-735-YL	Yellow	3	2	1	1	735	14	12	OH	
DT-3-2-735-RD	Red	3	2	1	1	735	14	12	OH	10 day lead time
DT-3-2-735-BL	Blue	3	2	1	1	735	14	12	OH	
DT-3-2-735-GR	Green	3	2	1	1	735	14	12	OH	10 day lead time
DT-3-2-735-OR	Orange	3	2	1	1	735	14	12	OH	
DT-3-5-300-YL	Yellow	3	5	1	1	300	N/A	12	OH	10 day lead time
DT-3-5-300-RD	Red	3	5	1	1	300	N/A	12	OH	
DT-3-5-300-BL	Blue	3	5	1	1	300	N/A	12	OH	10 day lead time
DT-3-5-300-GR	Green	3	5	1	1	300	N/A	12	OH	
DT-3-5-300-OR	Orange	3	5	1	1	300	N/A	12	OH	10 day lead time
DT-4-1-1375-YL	Yellow	4	1	1	1	1375	17	12	OH	
DT-4-1-1375-RD	Red	4	1	1	1	1375	17	12	OH	10 day lead time
DT-4-1-1375-BL	Blue	4	1	1	1	1375	17	12	OH	
DT-4-1-1375-GR	Green	4	1	1	1	1375	17	12	OH	10 day lead time
DT-4-1-1375-OR	Orange	4	1	1	1	1375	17	12	OH	
DT-4-2-735-YL	Yellow	4	2	1	1	735	18	12	OH	10 day lead time
DT-4-2-735-RD	Red	4	2	1	1	735	18	12	OH	
DT-4-2-735-BL	Blue	4	2	1	1	735	18	12	OH	10 day lead time
DT-4-2-735-GR	Green	4	2	1	1	735	18	12	OH	
DT-4-2-735-OR	Orange	4	2	1	1	735	18	12	OH	10 day lead time
DT-4-3-500-YL	Yellow	4	3	1	1	500	18	12	OH	
DT-4-3-500-RD	Red	4	3	1	1	500	18	12	OH	10 day lead time
DT-4-3-500-BL	Blue	4	3	1	1	500	18	12	OH	
DT-4-3-500-GR	Green	4	3	1	1	500	18	12	OH	10 day lead time
DT-4-3-500-OR	Orange	4	3	1	1	500	18	12	OH	
DT-4-4-380-YL	Yellow	4	4	1	1	380	18	12	OH	10 day lead time
DT-4-4-380-RD	Red	4	4	1	1	380	18	12	OH	
DT-4-4-380-BL	Blue	4	4	1	1	380	18	12	OH	10 day lead time
DT-4-4-380-GR	Green	4	4	1	1	380	18	12	OH	
DT-4-4-380-OR	Orange	4	4	1	1	380	18	12	OH	10 day lead time
DT-4-6-250-YL	Yellow	4	6	1	1	250	17	12	OH	
DT-4-6-250-RD	Red	4	6	1	1	250	17	12	OH	10 day lead time
DT-4-6-250-BL	Blue	4	6	1	1	250	17	12	OH	
DT-4-6-250-GR	Green	4	6	1	1	250	17	12	OH	10 day lead time
DT-4-6-250-OR	Orange	4	6	1	1	250	17	12	OH	
DT-4-65-230-YL	Yellow	4	6.5	1	1	230	17	12	OH	10 day lead time
DT-4-65-230-RD	Red	4	6.5	1	1	230	17	12	OH	
DT-4-65-230-BL	Blue	4	6.5	1	1	230	17	12	OH	10 day lead time
DT-4-65-230-GR	Green	4	6.5	1	1	230	17	12	OH	
DT-4-65-230-OR	Orange	4	6.5	1	1	230	17	12	OH	

PMS Colors: 80% Pantone Yellow, 80% 032 Red, 80% 292 Blue, 80% 345 Green, 80% 1505 Orange

Liner-free Repositionable Direct Thermal Rolls

AlphaTech Part #	Color	Width Inches	Length Feet	O.D.	Core Size	Gauge / gsm	Approx Wt / Case	Rolls / Case	Stocking Locations
------------------	-------	--------------	-------------	------	-----------	-------------	------------------	--------------	--------------------

2 Go, Center Repositionable Adhesive, 55gsm, 15# Base Direct Thermal Roll

MS2141602GO	White	2.25	160'	2.75"	1"	55	11	24	PA
MS3181602GO	White	3.125	160'	2.75"	1"	55	14	24	PA

2Go, Side Edge Repositionable Adhesive, 55gsm, 15# Base Direct Thermal Roll

MS214782GOSE	White	2.25	78'	1.875"	.5"	55	17	72	PA
MS3181602GOSE	White	3.125	160'	2.75"	1"	55	14	24	PA
MS3181602GOSE-B	Blue	3.125	160'	2.75"	1"	55	14	24	PA
MS3181602GOSE-P	Pink	3.125	160'	2.75"	1"	55	14	24	PA
MS3181602GOSE-C	Canary	3.125	160'	2.75"	1"	55	14	24	PA
MS3181602GOSE-G	Green	3.125	160'	2.75"	1"	55	14	24	PA
MS3181602GOSE-O	Orange	3.125	160'	2.75"	1"	55	14	24	PA
MS3181602GOSE-V	Violet	3.125	160'	2.75"	1"	55	14	24	PA

PMS Colors: 306 Blue, 213 Pink, 100 Canary, 2283 Green, 150 Orange, 515 Violet

3 Stripe Repositionable Adhesive 55gsm, 15# Base Direct Thermal Roll

MS2142402GO3S	White	2.25	240'	3.25"	1"	55	19	32	PA
---------------	-------	------	------	-------	----	----	----	----	----

4 Stripe Repositionable Adhesive 55gsm, 15# Base Direct Thermal Roll


MS3182402GO4S	White	3.125	240'	3.25"	1"	55	26	32	PA
---------------	-------	-------	------	-------	----	----	----	----	----

Plus, Diamond Pattern Repositionable Adhesive, 80gsm, 20# Base Direct Thermal Roll

MS214170PLUSD	White	2.25	170'	3.25"	1"	80	19	32	PA
MS318170PLUSD	White	3.125	170'	3.25"	1"	80	26	32	PA

X2, Full Coverage Repositionable Adhesive, 80gsm, 20# Base Direct Thermal Roll

MS21460X2	White	2.25	60'	1.875"	.5"	80	17	72	PA
MS214170X2	White	2.25	170'	3.25"	1"	80	19	32	PA
MS318170X2	White	3.125	170'	3.25"	1"	80	26	32	PA



LINER-FREE REPOSITIONABLE DIRECT THERMAL ROLLS

Laser Sheets

AlphaTech Part #	Diagram Number	Width	Length	LbIs / Sheet	Sheets / Pack	Approx Wt / Case	Radius Corners	Labels / Pack	Stocking Locations
------------------	----------------	-------	--------	--------------	---------------	------------------	----------------	---------------	--------------------

EDP Laser Sheets, Permanent Adhesive , Also Compatible with Ink Jet Printers

LS-1-1-80	1	1	1	80	100	26	No	8000	OH
LS-15-05-100	2	1.5	0.5	100	100	26	No	10,000	OH
LS-15-1-50-RC	3	1.5	1	50	100	26	Yes	5000	OH
LS-175-05-80-RC	4	1.75	0.5	80	100	26	Yes	8000	OH
LS-175-1-44	5	1.75	1	44	100	26	No	4400	OH
LS-25-1563-18-RC	6	2.5	1.563	18	100	26	Yes	1800	OH
LS-2625-1-30-RC	7	2.625	1	30	100	26	Yes	3000	OH
LS-2833-1-33	8	2.833	1	33	100	26	No	3300	OH
LS-2833-1375-24	9	2.833	1.375	24	100	26	No	2400	OH
LS-35-075-28-RC	10	3.5	0.75	28	100	26	Yes	2800	OH
LS-4-1-20-RC	11	4	1	20	100	26	Yes	2000	OH
LS-4-133-14-RC	12	4	1.33	14	100	26	Yes	1400	OH
LS-4-15-12-RC*	13	4	1.5	12	100	26	Yes	1200	OH
LS-4-175-12-RC	14	4	1.75	12	100	26	Yes	1200	OH
LS-4-2-10-RC	15	4	2	10	100	26	Yes	1000	OH
LS-4-333-6-RC	16	4	3.33	6	100	26	Yes	600	OH
LS-4-5-4-RC	17	4	5	4	100	26	Yes	400	OH
LS-425-1-22	18	4.25	1	22	100	26	No	2200	OH
LS-425-15-14	19	4.25	1.5	14	100	26	No	1400	OH
LS-425-2-10	20	4.25	2	10	100	26	No	1000	OH
LS-425-275-8	21	4.25	2.75	8	100	26	No	800	OH
LS-425-55-4	22	4.25	5.5	4	100	26	No	400	OH
LS-85-35-3	23	8.5	3.5	3	100	26	No	300	OH
LS-85-55-2	24	8.5	5.5	2	100	26	No	200	OH
LS-85-11-1**	25	8.5	11	1	100	26	No	100	OH

* Perfed vertically down center through face stock and liner. **Backscore

Circles, EDP Laser Sheets, Permanent Adhesive, Also Compatible with Ink Jet Printers

LS-1-C-63	26	1" Diam. Circle	63	100	26	Yes	6300	OH
LS-15-C-24	27	1.5" Diam. Circle	24	100	26	Yes	2400	OH
LS-25-C-12	28	2.5" Diam. Circle	12	100	26	Yes	1200	OH

Fluorescent EDP Laser Sheets, Permanent Adhesive, Available in Red & Green

LS-2625-1-30-G	7	2.625	1	30	100	26	Yes	3000	OH
LS-2625-1-30-R	7	2.625	1	30	100	26	Yes	3000	OH
LS-4-2-10-G	15	4	2	10	100	26	Yes	1000	OH
LS-4-2-10-R	15	4	2	10	100	26	Yes	1000	OH
LS-4-333-6-G	16	4	3.33	6	100	26	Yes	600	OH
LS-4-333-6-R	16	4	3.33	6	100	26	Yes	600	OH
LS-85-11-1-G	25	8.5	11	1	100	26	No	100	OH
LS-85-11-1-R	25	8.5	11	1	100	26	No	100	OH
LS-166-CIR-24-G	29	1.66" Diam. Circle		24	100	26	No	2400	OH
LS-166-CIR-24-R	29	1.66" Diam. Circle		24	100	26	No	2400	OH
LS-25-CIR-12-G	28	2.5" Diam. Circle		12	100	26	No	1200	OH
LS-25-CIR-12-R	28	2.5" Diam. Circle		12	100	26	No	1200	OH

AlphaTech Part #	Diagram Number	Width	Length	LbIs / Sheet	Sheets / Pack	Approx Wt / Case	Radius Corners	Labels / Pack	Stocking Locations
------------------	----------------	-------	--------	--------------	---------------	------------------	----------------	---------------	--------------------

Removable EDP Laser Sheets, Removable Adhesive

LS-2625-1-30-REM	7	2.625	1	30	100	26	Yes	3000	OH
LS-4-2-10-REM	15	4	2	10	100	26	Yes	1000	OH

Ultra Removable EDP Laser Sheets, Ultra Removable Adhesive

LS-4-2-10-UR	15	4	2	10	100	26	Yes	1000	WI
LS-4-5-4-UR	17	4	5	4	100	26	Yes	400	WI

Clear Polyester Laser Sheets, Permanent Adhesive

LS-2625-1-30-CL	7	2.625	1	30	100	26	Yes	3000	OH
LS-4-2-10-CL	15	4	2	10	100	26	Yes	1000	OH

White Polyester Laser Sheets, Permanent Adhesive

LS-2625-1-30-WH	7	2.625	1	30	100	26	Yes	3000	OH
LS-4-2-10-WH	15	4	2	10	100	26	Yes	1000	OH


Laser Drum Label (Vinyl), Permanent Adhesive

LS-81875-1075-1-DR	30	8.1875	10.75	1	100	26	Yes	100	OH
--------------------	----	--------	-------	---	-----	----	-----	-----	----


8.5" X 14" EDP Laser Sheets, Permanent Adhesive

LS-425-14-2 *	31	4.25	14	2	100	30	No	200	OH
LS-4-6-4	32	4	6	4	100	30	No	400	OH
LS-85-14-1**	33	8.5	14	1	100	30	No	100	OH


* Perfed horizontally at 7" through face stock and liner. ** Liner is backscored for easy removal.




1 x 1
80 PER SHEET




1 1/2 x 1/2
100 PER SHEET




1 1/2 x 1
50 PER SHEET




1 3/4 x 1/2
80 PER SHEET




1 3/4 x 1
44 PER SHEET




2 1/2 x 1 9/16
18 PER SHEET




2 5/8 x 1
30 PER SHEET




2.833 x 1
33 PER SHEET




2.833 x 1 3/8
24 PER SHEET




3 1/2 x 3/4
28 PER SHEET




4 x 1
20 PER SHEET




4 x 1.33
14 PER SHEET




4 x 1 1/2
12 PER SHEET




4 x 1 3/4
12 PER SHEET




4 x 2
10 PER SHEET




4 x 3 1/3
6 PER SHEET




4 x 5
4 PER SHEET




4 1/4 x 1
22 PER SHEET




4 1/4 x 1 1/2
14 PER SHEET




4 1/4 x 2
10 PER SHEET




4 1/4 x 2 3/4
8 PER SHEET



4 1/4 x 5 1/2
4 PER SHEET




8 1/2 x 3 1/2
3 PER SHEET




8 1/2 x 5 1/2
2 PER SHEET




8 1/2 x 11
1 PER SHEET




1" DIAMETER
63 PER SHEET




1 1/2" DIAMETER
24 PER SHEET




2 1/2" DIAMETER
12 PER SHEET




1.66" DIAMETER
24 PER SHEET




8 3/16 x 10 3/4
1 PER SHEET



8 1/2" x 14"



8 1/2" x 14"



8 1/2" x 14"

4 1/4 x 14
2 PER SHEET

4 x 6
4 PER SHEET

8 1/2 x 14
1 PER SHEET

Integrated Label Sheets

AlphaTech Part #	Diagram Number	Label Width	Label Length	Labels / Sheet	Sheets / Case	Approx Wt / Case	Rounded Corners	Stocking Locations
------------------	----------------	-------------	--------------	----------------	---------------	------------------	-----------------	--------------------

Preprinted Invoice, 8.5" x 11" White 24lb Bond Laser Sheet, Permanent Adhesive

RI-Invoice-1	1	4	6	1	1500	25	Yes	IL
--------------	---	---	---	---	------	----	-----	----

PMS Color: Reflex Blue

8.5" x 11" White 24 lb Bond Laser Sheet, Permanent Adhesive

RI-2-1-4	2	2	1	4	1500	21	No	IL
RI-2-1-8	3	2	1	8	1500	22	No	IL
RI-25-075-12	4	2.5	0.75	12	1500	23	No	IL
RI-25-125-2-Left	5	2.5	1.25	2	1500	23	Yes	IL
RI-25625-1-3	6	2.5625	1	3	1500	21	No	IL
RI-35-15-2	7	3.5	1.5	2	1500	22	No	IL
RI-35-2-1-Left	8	3.5	2	1	1500	22	Yes	IL
RI-35-2-1-Right	9	3.5	2	1	1500	22	Yes	IL
RI-35-2-2-RC	10	3.5	2	2	1500	23	Yes	IL
RI-35-275-2-RC	11	3.5	2.75	2	1500	23	Yes	IL
RI-35-275-2-NP	11	3.5	2.75	2	1500	23	Yes	IL
RI-4-25-1-Left	12	4	2.5	1	1500	23	Yes	IL
RI-4-25-1-Left-NP	12	4	2.5	1	1500	23	Yes	IL
RI-4-25-1-Right	13	4	2.5	1	1500	23	Yes	IL
RI-4-25-2-RC	14	4	2.5	2	1500	23	Yes	IL
RI-4-25-2-NP	14	4	2.5	2	1500	23	Yes	IL
RI-4-2875-2-RC	15	4	2.875	2	1500	23	Yes	IL
RI-4-6-1-Mail Order	16	4	6	1	1500	26	Yes	IL
RI-4125-4-1-Right	17	4.125	4	1	1500	24	Yes	IL
RI-6-4-1-RC	18	6	4	1	1500	24	Yes	IL
RI-6-4-1-Left	19	6	4	1	1500	24	Yes	IL
RI-6-4-1-Right	20	6	4	1	1500	24	Yes	IL
RI-6&2-4-2	21	6 & 2	4	2	1500	24	No	IL
RI-6&2-4-2-NP	21	6 & 2	4	2	1500	24	No	IL
RI-USPS-Click-N-Ship®	22	6.8125	4.75	1	1500	25	Yes	IL
RI-7-425-1-PAY-PAL	23	7	4.25	1	1500	25	No	IL
RI-75-5125-1-RC	24	7.5	5.125	1	1500	25	Yes	IL
RI-8-35-1-RC	25	8	3.5	1	1500	24	Yes	IL

Membership Cards, 8.5" x 11" White 80 lb Bond Laser Sheet, No Adhesive

RI-3375-2125-CARDS-2-FOLD	26	3.375	2.125	2	1000	35	Yes	IL
---------------------------	----	-------	-------	---	------	----	-----	----


8.5" x 14" White 24 lb Bond Laser Sheet, Permanent Adhesive

RI-2-1-4-14	27	2	1	4	1500	25	No	IL
RI-25-075-12-14	28	2.5	0.75	12	1500	27	No	IL
RI-35-15-2-14	29	3.5	1.5	2	1500	26	No	IL
RI-35-2-1-14Left	30	3.5	2	1	1500	26	Yes	IL
RI-35-2-1-14Right	31	3.5	2	1	1500	26	Yes	IL
RI-35-2-2-14RC	32	3.5	2	2	1500	27	Yes	IL
RI-4-25-1-14Right	33	4	2.5	1	1500	27	Yes	IL


AlphaTech Part #	Diagram Number	Label Width	Label Length	Labels / Sheet	Sheets / Case	Approx Wt / Case	Rounded Corners	Stocking Locations
------------------	----------------	-------------	--------------	----------------	---------------	------------------	-----------------	--------------------

8.5" x 14" White 24 lb Bond Laser Sheet, Permanent Adhesive (continued)


RI-6-4-1-14Left	34	6	4	1	1500	30	Yes	IL
RI-6-4-1-14Right	35	6	4	1	1500	30	Yes	IL
RI-6&2-4-2-14	36	6 & 2	4	2	1500	30	No	IL




PREPRINTED INVOICE
4" x 6" - 1 UP Label is ¼" from top and ½" from right




2"x 1" LABELS - 4 UP
Labels are ¼" from left & right, ⅝" from bottom




2" x 1" LABELS - 8 UP
Labels are ¼" from left & right, ⅝" from bottom




2 ½" x ¾" LABELS- 12 UP
Labels are ⅞" from left & right, ⅞" from bottom




2 ½" x 1¼" LABELS - 2 UP
Labels are ¼" from left ¾" from bottom




2 9⁄16" x 1" LABELS - 3 UP
Labels are ⅝" from left & right, ⅝" from bottom




3½"x 1½" LABELS - 2 UP
Labels are ¼" from left & right, ½" from bottom




3½"x 2" LABEL - 1 UP
Label is ¼" from left ⅞" from bottom




3½"x 2" LABEL- 1 UP
Labels are ¾" from right ⅝" from bottom




3½"x 2" LABELS - 2 UP
Labels are ¾" from left & right, ⅞" from bottom




3½"x 2¾" LABELS- 2 UP
Labels are ½" from left & right ½" between labels, ⅝" from bottom




4"x 2½" LABEL - 1 UP
Label is ¼" from left ⅞" from bottom




4"x 2½" LABEL - 1 UP
Label is ¼" from right
⅞" from bottom




4"x 2½" LABELS - 2 UP
Labels are ⅜" from left & right
⅞" between labels, ⅞" from bottom




4"x 2⅞" LABELS - 2 UP
Labels are ¼" from left & right
⅞" from bottom




4"x 6" LABEL - 1 UP
Label is ½" from right
¼" from top




2" x 1" LABELS - 4 UP
Labels are ¼" from left
& right, ⅝" from bottom




2½" x ¾" LABELS - 12 UP
Labels are ⅞" from left &
right, ⅝" from bottom




3 ½" x 1½" LABELS - 2 UP
Labels are ¾" from left & right
½" from bottom




3 ½" x 2" LABEL - 1 UP
Label is ¼" from left
⅞" from bottom




4⅝"x 4" LABEL - 1 UP
Label is ¼" from right
¼" from bottom




6"x 4" LABEL - 1 UP
Label is 1¼" from left & right
⅞" from bottom




6"x 4" LABEL - 1 UP
Label is ⅞" from left
¼" from bottom




6"x 4" LABEL - 1 UP
Label is ⅞" from right
¼" from bottom




3 ½" x 2" LABEL - 1 UP
Label is ¾" from right
⅝" from bottom




3 ½" x 2" LABELS - 2 UP
Label are ¾" from left &
right, ⅞" from bottom




4 x 2½" LABEL - 1 UP
Label is ¼" from right
⅞" from bottom




6" x 4" LABEL - 1 UP
Label is ⅞" from left
¼" from bottom




6" x 4" & 2" x 4" LABELS - 2 UP
Labels are ¼" from left
& right, ½" from bottom




6 13/16" x 4¾" LABEL - 1 UP
Label is 9/16" from left
⅞" from top




7" x 4¼" LABEL - 1 UP
Label is ¾" from left and right
1" from bottom




7½" x 5⅛" LABEL - 1 UP
Label is ½" from left & right
½" from bottom




8" x 3½" LABEL - 1 UP
Label is ¼" from left & right
⅞" from bottom



3⅜" x 2⅛" CARDS - 2 UP
Cards are ¾" from left
& right, 1" from bottom



6" x 4" LABEL - 1 UP
Label is ⅞" from right
¼" from bottom



6" x 4" & 2" x 4" LABELS - 2 UP
Labels are ¼" from left
& right, ½" from bottom

Inventory Control Labels

Width	Length	Nbr Up	Core Size	Labels / Roll	Approx Wt / Case	Rolls / Carton	Stocking Locations
-------	--------	--------	-----------	---------------	------------------	----------------	--------------------

1 1/2" Circles, Thermal Transfer, Preprinted, 5" O.D., Perm Adhes, No Perf, Wound Out, 3" Core

10 day lead time

1.5" Diam. Circle	1	3	1000	3.3	4	OH
-------------------	---	---	------	-----	---	----



IP-15-CIR-0
PMS 345 GREEN REVERSE



IP-15-CIR-1
PMS 032 RED REVERSE



IP-15-CIR-2
BLACK ON PMS 290 BLUE



IP-15-CIR-3
BLACK ON PANTONE YELLOW



IP-15-CIR-4
PMA 424 GRAY REVERSE




IP-15-CIR-5
PMS 1495 ORANGE REVERSE



IP-15-CIR-6
PMS 265 PURPLE REVERSE



IP-15-CIR-7
PMS 301 BLUE REVERSE



IP-15-CIR-8
BLACK ON WHITE




IP-15-CIR-9
PMS 4705 BROWN REVERSE



MP-15-CIR-SUN
PMS 032 RED REVERSE



MP-15-CIR-MON
PMS 345 GREEN REVERSE



MP-15-CIR-TUE
BLACK ON PMS 290 BLUE



MP-15-CIR-WED
BLACK ON PANTONE YELLOW



MP-15-CIR-THUR
PMS 424 GRAY REVERSE



MP-15-CIR-FRI
PMS 1495 ORANGE REVERSE



MP-15-CIR-SAT
PMS 265 PURPLE REVERSE



MP-15-CIR-JAN
PMS 032 RED REVERSE



MP-15-CIR-FEB
PMS 345 GREEN REVERSE



MP-15-CIR-MAR
PMS 301 BLUE REVERSE



MP-15-CIR-APR
PMS 1495 ORANGE REVERSE



MP-15-CIR-MAY
MAGENTA REVERSE



MP-15-CIR-JUN
BLACK ON PANTONE YELLOW



MP-15-CIR-JUL
BLACK ON PMS 1905 PINK



MP-15-CIR-AUG
BLACK ON PMS 290 BLUE



MP-15-CIR-SEP
PMS 424 GRAY REVERSE



MP-15-CIR-OCT
PMS 4705 BROWN REVERSE



MP-15-CIR-NOV
PMS 345 GREEN REVERSE



MP-15-CIR-DEC
PMS 265 PURPLE REVERSE



QC-15-CIR-01
PMS 345 GREEN REVERSE



QC-15-CIR-02
PMS 345 GREEN ON WHITE



QC-15-CIR-03
BLACK ON WHITE



QC-15-CIR-04
PMS 345 GREEN REVERSE



QC-15-CIR-05
BLACK ON PANTONE YELLOW



QC-15-CIR-06
PMS 032 RED REVERSE



QC-15-CIR-07
PMS 345 GREEN REVERSE



QC-15-CIR-08
BLACK ON PANTONE YELLOW



QC-15-CIR-09
PMS 345 GREEN REVERSE



QC-15-CIR-10
PMS 032 RED REVERSED



QC-15-CIR-11
PMS 032 RED REVERSE



QC-15-CIR-12
BLACK ON PANTONE YELLOW



QC-15-CIR-13
BLACK ON WHITE



QC-15-CIR-14
PMS 032 RED ON WHITE



QC-15-CIR-15
PMS 032 RED REVERSED


Handling Labels

Width	Length	Nbr Up	Core Size	Labels / Roll	Approx Wt / Case	Rolls / Carton	Stocking Locations
-------	--------	--------	-----------	---------------	------------------	----------------	--------------------

Thermal Transfer, Preprinted, Permanent Adhesive, 5" O.D., Perfed Each, Wound Out, 3" Core

2	3	1	3	500	3	3	OH
---	---	---	---	-----	---	---	----

10 day lead time



QC-2-3-500-UP
PMS 032 RED
ON WHITE

Thermal Transfer, Preprinted, Permanent Adhesive, 5" O.D., Perfed Each, Wound Out, 3" Core

3	5	1	3	500	8	3	OH
---	---	---	---	-----	---	---	----

10 day lead time



QC-3-5-500-GLASS
PMS 032 RED
ON WHITE




QC-3-5-500-FRAGILE
PMS 032 RED
ON WHITE




QC-3-5-500-LIQUID
PMS 032 RED
ON WHITE



QC-3-5-500-DROP
PMS 032 RED
ON WHITE



QC-3-5-500-CRUSH
PMS 032 RED
ON WHITE



QC-3-5-500-DI1
PMS 032 RED
ON WHITE



QC-3-5-500-DI2
PMS 032 RED
ON WHITE

Made in the U. S. A. Labels

AlphaTech Part #	Width	Length	Nbr Up	Core Size	Labels / Roll	Approx Wt / Case	Rolls / Case	Stocking Locations
------------------	-------	--------	--------	-----------	---------------	------------------	--------------	--------------------

Preprinted, Permanent Adhesive, 5" O.D., Perfed Each, Wound Out, 3" Core

QC-15-CIR-500-USA	1.5	1.5	1	3	500	3	3	OH
QC-2-3-500-FLAG	2	3	1	3	500	3	3	OH
QC-3-5-500-STATES	3	5	1	3	500	11	4	OH
QC-3-5-500-STARS	3	5	1	3	500	11	4	OH

10 day lead time



QC-2-3-500-FLAG
RED & BLUE ON WHITE



QC-15-CIR-500-USA
4-COLOR PROCESS



QC-3-5-500-STATES
4-COLOR PROCESS



QC-3-5-500-STARS
4-COLOR PROCESS

AlphaTech's Portfolio of Label Products



Digital Label Short to Medium Runs

Short to medium label runs with no plate or tooling charges! Our laser cutter allows you to cut your labels any shape imaginable. AlphaTech uses durable UV inks and we offer a large selection of materials.



Instant Quotes for Digital Labels

We can provide instant quotes for short to medium label runs while on the phone with you. With no tooling or plate charges, our digital pricing will be very competitive.



Digital Label Long Runs

Our long run digital press combines high speeds with rapid job change digital technology. This press has Kyocera print heads with HD resolution, which means greater detail in images as well as small point size text.



RFID Enabled Labels & Tags

Our proprietary printing process allows us to produce up to 8-color RFID enabled labels with accuracy and low rejection rates. Offering standard as well as custom solutions for a wide range of RFID applications.



Custom Labels & Tags

When it comes to customized labels, AlphaTech does it all. We offer custom configurations, core sizes, inks, materials, varnishes, multi-laminates and adhesives to satisfy your needs.



Shrink Sleeves

Shrink sleeves offer a 360° canvas, maximizing marketing space for product information, graphics and branding. We offer full body shrink sleeves, combo packs and tamper evident perforated sleeves.

AlphaTech's Portfolio of Label Products



Stock Labels & Tags

Nobody carries more stock labels! AlphaTech offers one of the largest selections of stock labels in the industry. Choose from our stock imprints or create a custom imprint using our stock labels.




UL Stock & UL Custom Stock Labels

AlphaTech makes ordering UL compliant labels easy with our UL Stock and UL Custom Stock Label Program. We offer blank labels and custom 4-color process printed labels in 10 sizes and 4 materials.



Thermal Transfer Ribbons

Black, color, flexible packaging and super solvent resistant ribbons—we offer just about any thermal transfer ribbon you might need. Wax, resin, wax/resin, near edge and color ribbons from which to choose!



Promotional Labels & Cards

Coupons, game pieces, MailNotes®, charity labels, decals, static clings, kid sticker sheets and more! AlphaTech's on-pack and in-pack promotions will motivate consumers to purchase your products.



Variable Printing & Barcoding

In the age of traceability, everyone wants a code or mark. AlphaTech offers digital and high speed, high resolution black variable print. Print variable 2D and 3D barcodes, QR codes, numbers, text and halftones.



Screen & Wide Format Digital Printing

Our wide format digital press can run roll-to-roll formats that include posters, banners, backlit signs, fine art, billboards, and decals. Rigid media formats include signs, exhibits and displays.

Not just answers, expertise.



Phone: (973)283-2011 • Fax: (973)283-4546 • info@alphatechsvc.com